

FLYERWRK®

THANK YOU

For taking the time to purchase our product. We hope that you find that it delivers successful results for you in the long-term. To help you get the most out of your purchase, we recommend that you read through this guide.

Got any questions afterward? Then please send them to our team at hello@flyerwrk.com We will get a full response prepared for you and sent out as soon as we possibly can. Thank you, and good luck!

REQUIREMENTS

The files included are compatible with photoshop CC 2019 and upward, if you are running an older software, please update.



TABLE OF CONTENT

- 01 Install Pattern
- 02 Install Action
- 03 Color Settings
- 04 Run Action - Image
- 05 Run Action - Objects
- 06 Halftone Size
- 07 Troubleshooting


Video Tutorial Here




INSTALL PATTERN

01

1 In Photoshop open the Patterns Panel (Window > Patterns)



2 Open the fly-out menu and choose Import Patterns




Locate FW Offset Printer folder and select FW Dust - Scratches.pat file
...Click Open to install.




INSTALL ACTION

02

- 1 In Photoshop open the Actions Panel (Window > Actions)




- 2 Click the fly-out menu in the top right corner of the Actions Panel and Choose, Load Actions' from the list.



- 3 Locate FW Offset Printer.atn file and Click Open to install.


COLOR SETTINGS

03



To run the action correctly, Please Make sure that the Profile Mismatches options are unchecked.

In Photoshop open the Color Settings (Window > Edit)



RUN OFFSET PRINTER - IMAGE

04


Before you run the action please make sure that your document is in 8 bit and RGB mode.

For a basic image select -> RUN- Image

For objects, text layers and Smart Objects select: RUN- Object

Offset Printer only changes the DPI size of your document, not the resolution. All DPI sizes produce the same effect


- 1 Select your desired DPI size for Your image
- 2 press play.



RUN OFFSET PRINTER- OBJECT

-> RUN - OBJECT works the same as -> RUN IMAGE but creates a mask from your selected layer. Can be used for cut-outs, smart objects or text layers.

- 1 Select your desired DPI size for Your image
- 2 press play.





The screenshot displays the Adobe Photoshop interface. The main canvas shows a pink flamingo with a cyan selection outline. The 'Actions' panel on the right is open, showing a list of actions under the 'FW Offset Printer' folder. The action '-> RUN - 72 DPI - Object' is selected and highlighted with a blue box and a yellow circle. Below the list, the 'Play selection' button is highlighted with a yellow box and a yellow circle. The 'Layers' panel on the right shows the 'Object' layer selected and highlighted with a yellow circle. The 'Navigator' panel shows a thumbnail of the flamingo image. The text 'Make sure the layer is selected.' is overlaid on the bottom right of the screenshot.

CMYK SEPERATION - HALFTONE FREQUENCY SIZE



06

Choose one of 7 different halftone sizes with a single click on the eye-ball icon.





TROUBLESHOOTING

07



If you receive this error message, Please Make sure that the Profile Mismatches options are unchecked. In Photoshop open the Color Settings (as shown on page 3)




If you see this message enable the checkbox „Don't show again“ and confirm with OK.



This message pops up if no layer is selected. Please make sure that your object layer is selected.

Thank you again for choosing to use our add-ons. We hope that they work well for you, and we really would like to work with you some more. We're a small, independent company and want to do everything we can to help you get the most out of your purchase.



Got any problems? Then just let us know: it would be our pleasure to assist.

[ASK A QUESTION](#)



flyerwrk.com